

SUPPLEMENTAL EXAMINER'S AMENDMENT

The following obvious, minor change removes an improper reference to the claims from the written description portion of the specification.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification

In the specification, on page 3, line 10, delete "according to one of claims 1 to 13".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K. Graham whose telephone number is 571-272-1274. The examiner can normally be reached on Tuesday to Friday (7:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Monica S. Carter can be reached on 571-272-4475. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gary K Graham/
Primary Examiner, Art Unit 3727

GKG
05 June 2009